



**广 微 测**  
Gmicro Testing

**GUANGDONG DETECTION CENTER OF MICROBIOLOGY**

**REPORT FOR ANALYSIS**

**Report №.**

2018FM06096R04E

**Name of Sample**

Deodoran Sterilizer

**Applicant**

Foshan Nuobio Electrical Appliance Co.,Ltd

**Test Type**

Entrustment Test



**Address: Building 59, No.100 Central Xian Lie Road, Guangzhou, China**

**Postcode: 510070**

**Tel: +86 20 87137666**

**Fax : +86 20 87137668**

**Website : www.gddcm.com**



GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS



Report No.: 2018FM06096R04E Verification Code: 58196203

Name of Sample	Deodoran Sterilizer	Test Type	Entrustment Test
Applicant	Foshan Nuobio Electrical Appliance Co.,Ltd	Address	No.1,Southern District Industrial District,Tianhe North Road,Ronggui Town,Shunde District,Foshan City
Sample Source	Submitted for Testing by the Applicant	Sample Quantity	One Sample Submitted
Spec and Lot No of Sample	NB0-XD01	State and Characteristic	Machine
Sample Received Date	2018-06-25	Test Completion Date	2018-07-06
Test Standard and Method	Read directly from the instrument		
Item Tested	Concentration of Anion (The distance from the outlet is 5cm)		
Test Conclusion	The test data of the sample(s) is attached to the page(s) of this report.		
Remarks	Manufacturer: Foshan Nuobio Electrical Appliance Co.,Ltd. (provided by the applicant)		

Issue Date: 2018-08-01

(Official Seal)



Editor:

*Qiuwanchun*

Verifier:

*Sun Jiusi*

Approver:

*Xie Xiaobao*



GUANGDONG DETECTION CENTER OF MICROBIOLOGY

ANALYSIS AND TEST RESULT

Report No.: 2018FM06096R04E

No.	Test Item	Test Result	Unit
1	Concentration of Anion (The distance from the outlet is 5cm)	$2.8 \times 10^7$	pcs/cm <sup>3</sup>

(Blank Below)





Report №.: 2018FM06096R04E

## Notice Items

1. The Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.
2. The Test report is invalid without signature of verifier and approver.
3. The Test report is invalid if being supplemented, deleted or altered.
4. Without prior written permission, the report cannot be reproduced, except in full.
5. Unless otherwise stated, the results shown in this test report refer only to the sample(s) submitted.
6. Any dispute of the report must be raised to the testing body within 15 days after the report is received, exceeding which the dispute will not be accepted.
7. For the tested sample(s) submitted by the applicant, the sample information in the test report is provided by the applicant and the laboratory is not responsible for its authenticity.
8. This test report is for reference only to the applicant and does not have a proof of effect for others.

检测中心章